


APPLE INSECTICIDES - 2010



This sheet lists some products used to control insects on apple trees. The health symptoms listed may be caused by things other than pesticides. If you feel sick after exposure to pesticides, contact a doctor or clinic. If a person is not breathing, call 911 or an ambulance, give artificial respiration.



Washington State
Department of
Agriculture

Pesticide (ex. Brand Name) Highly Toxic 	Product Use Changes Read the Label (Reentry intervals may vary by product) DO NOT ENTER TREATED AREAS FOR:	Early Symptoms of Acute Insecticide Poisoning	
	Azinphos methyl (Guthion)	14 days	
	Carbaryl (Sevin)	12 hours	
	Chlorpyrifos (Lorsban)	4 days	
	Endosulfan (Thiodan, Thionex)	2 days / 4 days	
	Esfenvalerate (Asana)	12 hours	
	Imidacloprid (Admire, Nuprid)	12 hours	
	Malathion	12 hours	
	Oxamyl (Vydate)	48 hours	
	Phosmet (Imidan)	3 days	
<p>If you are exposed to a pesticide spray or drift:</p> <ul style="list-style-type: none"> • Leave the area • Tell your employer • Immediately rinse skin with plenty of water for 15-20 minutes • If you get pesticides in your eyes, hold eyes open and rinse slowly and gently with water for 15-20 minutes. If you wear contacts, rinse for 5 minutes, remove contacts and continue rinsing eyes. • Change into clean clothes • Always wash work clothes separately from other clothes 		<p>If you feel sick while working with pesticides:</p> <ul style="list-style-type: none"> • Leave the area • Tell your employer you feel sick, start first aid if needed • Go to a doctor or clinic • Have someone go with you • Tell the doctor the pesticide name. Your employer must provide this information <p>State Agency Phone numbers:</p> <p>WSDA toll free: 1-877-301-4555 L&I toll free: 1-800-423-7233 DOH (Olympia): 360-236-3360 Poison Emergency 1-800-222-1222</p>	